

The Complete
Car Refinish Program



German Engineering



Perfect Paint Application

The new SATAjet® X 5500. Revolutionary. Efficient. Silent. Consistent.

State-of-the-art paint systems and the latest application recommendations open up new possibilities, but also pose new challenges for professional painters. The SATAjet X 5500 featuring the new X-nozzle system now defines a new application standard for the future.

The concept of this nozzle system is easy and straightforward to understand: Both proven application technologies – HVLP and RP – remain available, but now each of them offer the additional choice between "I" and "O"-nozzle sets. In line with the increasing nozzle sizes within each of the respective technology (HVLP / RP), the material flow rate increases too with constant increments, which means that the spray fan size and width remain unchanged across the entire nozzle spectrum. In essence, end-users can now rely on a transparent and consistent system which offers them clear and well-structured application options.

The **"I"-nozzles** produce a parallel spray fan pattern with a minimal dry zone and a drier center which is ideal for painters preferring a **reduced application speed** and maximum application control during the painting process. The **film build per coat** in comparison to an "O"-nozzle of the same size is **slightly reduced**.

- Parallel spray fan with minimal dry zone
- Improved control during the coating process
- Reduced film build per coat compared to the nozzle set currently in use or the "O"-nozzle

"O"-nozzles do have an oval-shaped spray fan pattern with a larger dry zone and a wet core to accommodate **increased application speed** at the expense of slightly less application control during the painting process. The **film build per coat** in comparison to an "I"-nozzle is **slightly higher**.

- Oval-shaped spray fan with larger dry zone
- Wet core for increased application speed
- Film build per coat slightly higher compared to the "I"-nozzle

*Spray gun part numbers are in the back of the brochure



SATAjet® X 5500 RP®

SATAjet® X 5500 HVLP

SATAjet® X 5500 Maintenance Set



Just what you need to tune-up your spraygun

- Handy "slimmed-down" maintenance sets
- Each set contains: Air cap ring seal, sealing element for fluid tip, air piston packing & holder, air piston head and rod, needle packing and holder, seals, spring, screws.



Order No. 1173286



PRODUCT BENEFITS

- Revolutionary: The X-nozzles are taking atomization to a whole new level
- Noticeably quieter: Whispering nozzle™ due to optimized air flow geometry, reduced noise level in the relevant sound frequency ranges
- Individual: Matches each application requirement, such as specific characteristics of the paint system, climatic conditions and application method (application speed/application control)
- Precise: Optimized material distribution for enhanced spraying uniformity and atomization with both spray fan shapes
- Low maintenance: No air distribution insert required, ensuring a much easier and faster cleaning process
- Consistent: Constant fan size across the entire nozzle spectrum (within the range of each respective atomization technology) with linear increases of the material flow rate
- Efficient: The optimized atomization concept enables to realize considerable material savings using the same application method as before



SATAjet® X 5500 PHASER

Transforms work into wonderment

The revolutionary SATA X-nozzle system is now also available for the top model "PHASER" with nozzle sizes ranging from 1.2 to 1.4 for HVLP and 1.2 / 1.3 for RP, both with "I" as well as a "O" fan pattern options.

The elegant SATAjet X 5500 PHASER combines a unique design with the suitability for daily use in the paint shop. Depending on the material, the work methods as well as the climatic conditions, painters now have the option to choose between controlled or fast application, regardless whether relying on the HVLP or RP technology.



SATA® adam 2™

To upgrade non-digital spray guns to "DIGITAL" – the version for retrofitting the **SATAjet X 5500, X 5500 PHASER, SATAjet 5000 B and 5000 B PHASER** without integrated digital pressure gauge. Ensures correct setting and display of the gun inlet pressure for highest reproducibility.



SATA adam 2 chrome complete,
(fits 5000 series only) **Order No. 211557**

SATA adam 2 black complete,
(fits 5000 series only) **Order No. 1031715**

Order No. 211565 each, (dock only,
fits 5000 series only)
Order No. 211573 Pk of 2, (dock only,
fits 5000 series only)

See pg 8 - SATA adam 2/SATA adam 2 black/adam 2 mini for all other SATA spray guns

Top Coat Spray Guns for Perfect Finishes

SATAjet® 5000 B

- Optimized nozzle concept for highest possible versatility
- Ergonomically shaped gun handle
- Pearlodized™ surface is a technical enhancement of the "pearlchrome" surface to further improve corrosion resistance as well as ease of cleaning and maintenance
- Easy to adjust control elements
- Safely positioned trigger sleeve – for easy, safe and quick insertion of the paint needle
- Compact-size gun handle
- Optimized round / flat fan control with half-turn only
- RP: 10.2 cfm at 29 psi; HVLP: 15.2 cfm at 29 psi



RP version approved by SCAQMD and EPA, meets rule 40, part 63, HHHHHH



SATAjet® 5000 B Maintenance Set

Just what you need to tune-up your spray gun

- Handy "slimmed-down" maintenance sets
- Each set contains: Air cap ring seal, sealing element for fluid tip, air piston packing & holder, air piston head and rod, needle packing and holder, seals, spring, screws, air distribution ring & puller.

Order No. 1050674




SATAminijet® 4400 B

Brilliance in Miniature

Compact, lightweight gravity flow cup spray gun for small surfaces and areas of difficult access as well as for custom paintings.

- Easy to clean, corrosion-resistant pearlodized™ surface
- Special "SR" nozzle sets for spot repairs
- This spray gun allows the application of all modern paint systems - including waterborne
- Large QCC cup connection for all cup sizes
- RP: 7.0 cfm at 36 psi; HVLP: 4.1 cfm at 20 psi



*Spray gun part numbers are in the back of the brochure

SATAjet 1500 B SoLV – The solvent solution

SATA extends an invitation to technicians using solvent paint products who would like to take advantage of SATA's quality and reliability at an affordable price. For those who have or have not used SATA spray guns before, step-up and give the SATAjet 1500 B SoLV a try.

The SATAjet 1500 B SoLV in HVLP and RP provides fine finishes with cost saving transfer efficiency, keeps the required wetting using today's **Low VOC exempt solvent basecoat** or the more traditional **National Rule solvent basecoats**. The SATAjet 1500 B SoLV is also a good choice for **clearcoat** appearance, while meeting transfer efficiency and profitability expectations.


The nozzle system of the SATAjet 1500 B SoLV meets the demands for topcoat applications and delivers even material distribution throughout the entire pattern. It offers to solvent and **Low VOC application** the flexibility painters expect from a SATA gun. The balanced design provides comfort and ergonomics, and the easy-to clean durable surface of the spray gun will work with any solvent-based material.



RP version approved by SCAQMD and EPA

PRODUCT BENEFITS

- Designed for Full System Application: solvent-based basecoats, either **Low VOC** or **National Rule** as well as sealer and **clearcoat**
- Nice-sized, even spray pattern
- Wide air pressure range from 7 – 29 psi. HVLP compliant 26 psi, RP compliant 29 psi
- Fast working speed
- Smooth anodized spray gun body in a modern blue color tone
- Excellent value spray gun



Pressure Suggestions*	HVLP	RP
National Rule Solventborne Basecoat	24-26 psi	24-28 psi
Traditional Clearcoats (Above 14 seconds DIN 4)	22-26 psi	22-26 psi
Low VOC Solventborne Basecoat	18-24 psi	18-26 psi
Low Viscosity or Extra Fast Air Dry Clearcoats (Under 14 seconds DIN 4)	20-24 psi	20-24 psi

*The above inlet air pressures are to be considered a starting point when spraying that type of product.

SATAjet® 1500 B SoLV Maintenance Set



Just what you need to tune-up your spray gun

- Handy "slimmed-down" maintenance sets
- Each set contains: Air cap ring seal, sealing element for fluid tip, air piston packing & holder, air piston head and rod, needle packing and holder, seals, spring, screws, air distribution ring & puller.

Order No. 1173278



Watch 1500 SoLV demonstration video on YouTube

*Spray gun part numbers are in the back of the brochure


Top Coat Spray Guns for Fleet Finishes

SATAjet® 1000 K



The lightweight universal pressure-fed gun for large surface applications

- Allows connection to all sorts of material supply systems, such as pressure pots, double diaphragm pumps and central paint supply systems
- Suitable for the application of various materials – waterborne or solvent-based
- Sturdy, easy clean surface
- Special air flow at the air cap horns reduces overspray settling at the air cap
- **Optional:** fluid tip and paint needle with lifetime prolonging surface
- RP: 14.5 cfm at 35 psi; HVLP: 19 cfm at 35 psi



SATAminijet® 1000 K

The compact industrial gun

Compact, reduced size spray gun with full size attitude! Great for specialty applications.

- Small to large panels and spot repairs of existing finishes
- Excellent for small objects or hard to reach areas
- Designed for less hand fatigue and longer continuous work
- Also available in siphon cup version, SATAminijet H, 1.4 nozzle
- Both HVLP and RP versions are available
- RP: 7 CFM at 36 psi; HVLP: 4.2 CFM at 29 psi



SATAjet® 3000 K

The pressure-fed gun for large surface applications

Painting entire utility vehicles requires pressure fed spray guns.

- High surface efficiency due to material supply from pressure tanks or via dbl diaphragm pumps
- Wide, smooth and homogeneous spray fan for perfect finishes at high application speed
- Extremely sturdy version with axial round/flat spray control
- **Optional:** fluid tip and paint needle with lifetime prolonging surface
- RP: 15.5 cfm at 36 psi; HVLP: 20 cfm at 36 psi



SATAjet® 1000 B RP®

For Universal Coatings

The SATAjet 1000 B is the multi application choice amongst gravity flow cup spray guns for craft and fleet. Due to the wide range of nozzle sizes and accessories available, such as pressurized and agitator cups, various materials can be perfectly applied: low-viscosity stains, clear coats, texture finishes and glazes as well as spray-on glues and other thixotropic products.

- For the application of a wide range of materials, from primer and paint to glue and separating agents.
- Universally adjustable spray pattern with fine atomization for a high work speed
- Large range of accessories available, including extensions, slit nozzles and nozzle set-ups for glue application.



*Spray gun part numbers are in the back of the brochure

Special Spray Guns for Primer, UV Primer, Filler and Sealer Materials

Prep materials such as primer, UV primer, filler and spray putty fulfill an important function within the paint process. To economically apply these primer materials, the use of the SATAjet 100 B F and B P are recommended. The material is applied with extremely low over spray allowing little masking efforts. Together with the use of SATA RPS multipurpose cups, SATAjet 100 B F and B P spray guns are the perfect solution for these special requirements.



SATAjet® 100 B F™

RP® and HVLP - for primers and fillers

Primer, sealer and filler application with little overspray saves paint material and reduces masking effort. A smooth material distribution reduces subsequent sanding efforts. Already with an inlet pressure of 7.25 psi, the spray fan can be flexibly and precisely adjusted even to small spot repair areas.



- Sturdy spray gun with anodized spray gun body
- Fully equipped with round/flat fan control and material flow control as well as air micrometer
- SATAjet 100 B RP 1.1 is an excellent choice for UV primer
- Comfortably lightweight and ergonomically optimized spray gun
- Little cleaning and maintenance
- Versatile use due to four different RP and HVLP nozzle sizes



SATA's UV Spray guns

SATAjet® 100 B P™

for the application of spray putty

The nozzle set "P" creates high film builds. The sharp-edged spray fan allows precise application.

- Same features as SATAjet 100 B F, however without air micrometer
- The SATAjet 100 B P is an excellent choice for spraying large flake



SATAminijet 4400 RP 1.0 SR
with standard QCC RPS cups
Order No. 198358

SATAjet 100 B F RP 1.1 UV
with standard QCC RPS cups
Order No. 203125

Nozzle Set only
SATAminijet 4400 RP 1.0 SR
Order No. 201293

Nozzle Set only
SATAjet 100 B F RP 1.1 UV
Order No. 182600



SATAjet® 100 B & 1000 B Maintenance Set

Just what you need to tune-up your spray gun

- Handy "slimmed-down" maintenance sets
- Each set contains: Air cap ring seal, sealing element for fluid tip, air piston packing & holder, air piston head and rod, needle packing and holder, seals, spring, screws, air distribution ring & puller. **Order No. 1173260**



*Spray gun part numbers in the back of brochure









The correct setting of the gun inlet pressure is a key requirement to ensure perfect color match

SATA® adam®/adam 2 mini™
SATA® adam® 2 black



Turns a non-digital spray gun into a "DIGITAL" - for retro-fitting SATA spray guns without integrated digital pressure gauge. Ensures correct setting and display of the gun inlet pressure for highest color match precision.

For more information on SATA pressure measuring devices, please contact your SATA dealer or visit www.satausa.com

	SATAjet X 5500 PHASER	SATAjet X 5500 PHASER	SATAjet 5000	SATAjet 5000 PHASER	SATAjet 4000	SATAjet 3000	SATAjet 1500 SolV	SATAjet 1000	SATAjet 100	SATAjet B, SATAjet GR	SATAminijet 3000	SATAminijet 4	SATA dry jet 2	Competitor spray guns
 211557 SATA adam 2 complete	X	X	-	-	-	-	-	-	-	-	-	-	-	-
 1031715 SATA adam 2 black complete	X	X	-	-	-	-	-	-	-	-	-	-	-	-
 160853 SATA adam 2 complete	-	-	X	X	X	X	X	X	X	-	-	-	-	-
 1031690 SATA adam 2 black complete	-	-	X	X	X	X	X	X	X	-	-	-	-	-
 160887 SATA adam 2 mini complete	-	-	-	-	-	-	-	-	-	X	X	-	-	-
 1031674 SATA adam 2 mini complete	-	-	-	-	-	-	-	-	-	X	X	-	-	-
 195222 SATA adam 2 U	X	X	X	X	X	X	X	X	X	X	X	X	X	X
 1031731 SATA adam 2 U black	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Accessories/Spare Parts

SATA adam 2 display
fits on all "docks"
Part No. 160697



SATA adam 2 black display only
Part No. 1031658
For on all docks



SATA adam 2 dock
SATAjet 5500 & 5000 series only
SATA spray guns
Part No. 211565
Part No. 211573 (2x)



SATA adam 2 dock for "full size"
SATA spray guns
Part No. 160788
Part No. 160796 (2x)

SATA adam 2 mini dock
or SATAminijet 3, 4,
3000 B & 4400 B
SATAminijet 1000 K & H
Part. No. 160861



SATA dock with G 1/8 male thread
to upgrade analog gauge, e.g. on pneumatically operated systems Part No. 195925

SATA adam 2 U dock
for SATA dry jet and competitor spray guns
Part No. 195230



Battery kit
for SATA adam 2 display
Part No. 160739



SATA dry jet 2 – Waterborne Drying System

Globally, the use of waterborne paint is increasing. However, depending on climatic conditions, waterborne may take longer to flash off than solvent based materials. Slower drying can result in greater time in the spray booth and reduction in productivity. The new SATA dry jet 2 blower guns help reduce flash-off and cycle times significantly.

Operating mode

The SATA dry jet 2 utilizes the Venturi principle – in addition to the compressed air feeding the system, a multiple of ambient air is drawn in, turning, 8.2 to 9.35 CFM of compressed air into approximately 95 CFM that immediately serves to accelerate the drying process. The recommended inlet pressure is 29 to 35 psi. Essential for a reduced flash-off time is not only a large air volume, but also an even, preferably wide, air flow which is produced in the injector zone of the new round fan nozzle.



SATA® dry jet™ 2



This practical, lightweight blow gun makes quick work of drying waterborne material. A special nozzle design multiplies air volume from ambient air using the Venturi injection principle. An air intake filter prevents contamination of the paint. Air consumption is only 9.5 cfm at 35 psi. The CFM is magnified x10 to give a 92.35 CFM output.

Order No. 217489

SATA® dry jet™ 2 Stand



With two dry-blower guns. Each individual blow gun can be directed independently at the painted object. The stand offers many advantages including unattended use and it may be placed in any position. Adjustable in height from 11.8 to 74.8 inches and 31.5 inches in width. with 2 dry-blower guns **Order No. 223008**
Stand only **Order No. 82198**

Econo-Jet Blow Gun Stand

This economical mobile stand is offered as a package with two guns. Adjustable gun height, with 360° swivel or tilt. Supplied with high flow connections and tubing for maximum performance of the blow gun.

Order No. 720640

Stand only **Order No. 720580**



SATA

Style

Check out our
SATA GEAR website!

www.satausagear.com

Apparel & More



- SATA Gear for Men, Women and Youth
- Socks
- Banners
- Key Chains
- Drinkware
- Headwear
- Promotional Items
- Gift Certificates & More

SATA® trueSun™ – the Daylight Solution



The selection of the correct color shade for refinishing a vehicle requires a source of light that preferably reproduces the entire color range of visible light (daylight) as accurately as possible.

The SATA® trueSun™ LED lamp which was especially designed for this purpose allows a quick and easy professional color shade evaluation and identification within the body shop. When selecting the right daylight lamp there is no room for compromise, any rework caused by an incorrect color identification is an expensive mistake with high rework costs. Even avoiding one rework covers the purchase price for this high quality product.



SATA® trueSun™

including battery
charger and battery
Part No. 1012129



Storage Case

including foam inlay
Part No. 1013094

foam inlay only
Part No. 1013151

*Part numbers for trueSun accessories in back of the brochure



PRODUCT BENEFITS



- Near perfect daylight conditions on any color shade, no need to move the project outside
- Uniform distribution of the light intensity across the entire light cone
- Battery life approximately 70 minutes at full light intensity, lasting for an entire days production in most shops
- Uniform light intensity – unaffected by the battery charge level
- Fast charging cycle time of approximately 50 minutes
- Adjustable light intensity
- Built-in charge level display
- Near daylight reproduction of color pigments
- Coating flaws such as mottling and poor hiding can be easily detected

Daylight lamps used for color shade determination, by comparison

Uniform distribution of the light intensity

The uniform light distribution across the entire illuminated area simplifies selecting the right color shade. The light intensity can be adjusted via the sliding control on the back of the light.


The light intensity remains the same throughout the entire battery life, which removes aggravating interruptions during the color match process.




Light cone of the SATA® trueSun™
at maximum light power, uniform distribution of the light intensity from edge to edge – color temperature is neutral




Example high quality flashlight manufacturer A
Very small, non-uniformly illuminated surface, strong yellow coloration



Example daylight lamp manufacturer B
Uniform distribution of the light intensity, but very strong yellow coloration.



Example daylight lamp manufacturer C
inconsistently illuminated surface, edges appear greenish/bluish




Example daylight lamp manufacturer D
inconsistently illuminated surface, edges appear reddish.

KNOWLEDGE

Color temperature

The color temperature of a light source is indicated in Kelvin (K). The temperature has influence on the optic impression. Therefore, it should be in a neutral range when defining the color shade. The daylight (sunlight) at noonday sun has a color temperature of approximately 5,500 – 5,800 K.




CRI value


The CRI value (Color Rendering Index) indicates the quality of the color reproduction of a light source. This value is composed of the average value of 14 defined reference colors.

Daylight CRI value: 100

SATA® trueSun™ CRI value: 97



Spectral distribution – daylight & SATA® trueSun™



Lux (lx)

Lux indicates the illumination intensity of a light source.

Daylight lux value: up to 100,000 lx

SATA® trueSun™ lux value: 22,000 lx at 11.8 inch distance

TECHNICAL DATA

LED light

Total weight	approx. 1.04 pounds
CRI value	97
Color Temperature	approx. 5,600 K
Light intensity (lux)	22,000 lx at 11.8" distance
Operating temperature LED lamp	32°F – 104°F
Storage temperature LED lamp	-4°F – 176°F
Battery life at full light intensity	approx. 70 min.
Battery operating time	approx. 70 min.

WARNING: The use or storage of the SATA® trueSun™ LED lamp as well as the batteries and chargers in explosive or inflammable areas is prohibited.

Design and Airbrush Guns




To paint creative, fancy motives, many artists from the airbrush scene prefer SATA design guns. They are especially suitable for creating fine dots, delicate lines and contours. Different models are available to suit your specific application needs.



Order No. **S004B**
SATAgraph 4 B, Gravity feed



Order No. **S004S**
SATAgraph 4 S, Side feed



Order No. **S004H**
SATAgraph 4 H, Siphon Feed

"German Engineered, Made in America"

SATA® graph™ 4



- SATA super grip trigger. Has a unique forward cut trigger with cross teeth giving a comfortable non slip grip.
- Crosscut reversible air cap tip. Crosscuts allow air to flow away from tip when close to surface, painting with less turbulence.
- Teflon coated trigger and rocker arm. This creates a super smooth trigger pull for better control.
- Single piece trigger. No more going blind trying to put the trigger in the gun. More durable and less costly.
- Trigger set knob at rear of the gun allows you to set the trigger pull at a certain position to control paint flow.
- Solvent proof "O" rings on front and inside of airbrush.
- Competitively priced. The most affordable airbrush of this quality.
- Very affordable replacement tips and needles.

SATA® graph™ 4 Design Set

- 3 gun kit includes all 3 SATA-graph 4 airbrushes, S004B, S004S and S004H,
- also included is a (1) S0323, 3/4 oz glass jar with siphon lid, (1) S039, 1 oz. glass cup with side feed lid, (1) S045, 6 ft braided hose with quick disconnect, (3) Quick connect plug/fittings, female, (1) foam padded case with handle

Order No. **S004HBS**





SATA® graph™ 1

For beginners:

- With double action system for separate air and material control to achieve special effects
- Versions with gravity flow cup or suction cup



SATA® graph™ 3

For professionals:

- Features similar to SATAgraph1, however, with additional removable needle cap to allow drawing finest lines
- Material flow control
- Four nozzle sizes available
- Versions with gravity flow cup or suction cup



SATAjet® 20 B

designed for use in all areas of creative painting:

For all kinds of art brush applications including graphic design, automotive custom painting, model making, artwork and calligraphy - the results are simply outstanding.

- Airbrush with round fan in exceptional spray gun design ergonomically shaped for fatigue-free working
- Durable and low maintenance
- Material flow control
- Low maintenance due self-adjusting seals
- Flexible air supply - inlet connection available at the base and at the rear of the gun.
- Large range of round spray nozzles



*Part numbers are in back of the brochure

Glass cups for SATAminijet 4400 B, SATAminijet 3000 B and SATAjet 20B

Glass Plug-in cups
25ml, pack of 5

Part No. 53033



Glass Plug-in cups w/GCC & threaded adapter SATAminijet 3000 B (and earlier) and 20B 25ml, pack of 5 cups

Part No. 125963



Glass Plug-in cups w/GCC adapter SATAminijet 4400 B, or any QCC. 25ml, pack of 5 cups

Part No. 200238



SATAjet® 20 B Design Set

- In addition to the SATAjet 20 B 0.5, and spare nozzle set 0.2, air micrometer, PVC air hose 3m, glass jar 25 ml with blank lid, cleaning and seal kit, spray gun stand.
- Specify nozzle size

Order No. 90381



SATAminijet® 4400 B Design Set

- Perfectly suitable for graphic designs, automotive custom painting, artwork and calligraphy as well as spot repair.
- In addition to the spray gun with nozzle size 1.0, the fully equipped SATA design set also contains all necessary accessories

Order No. 198382



SATA® RPS® – The Original.

The safe, refillable cup system for professionals: easy, perfect, economical

RPS 0.6 Liter

Content: SATA RPS 0.6 l cup, lid and filter

Order # 1010438 (125 µ, flat) pk of 60
 Order # 1010488 (200 µ plug-in) pk of 60
 Order # 1010545 (200 µ, flat) pk of 60

RPS 0.9 Liter

Content: SATA RPS 0.9 l cup, lid and filter

Order # 1011973 (125 µ, flat) pk of 40
 Order # 1011981 (200 µ, plug-in) pk of 40
 Order # 1012004 (200 µ, flat) pk of 40

RPS 0.3 Liter Standard

SATA RPS 0.3 l cup, lid and filter.

Order # 1010389 (125 µ, flat) pk of 40
 Order # 1010397 (200 µ plug-in) pk of 40
 Order # 1010420 (125 µ, flat) pk of 100
 Order # 1010404 (200 µ plug-in) pk of 100

RPS 0.3 Liter for SATAMinijet

(minijet 3000 B and earlier)
 Order # 1010553 (125 µ, flat) pk of 60
 Order # 1010561 (200 µ plug-in) pk of 60

RPS Spare Lids

Order # 1013226 (0.6 l & 0.9 l lids) pk of 80
 Order # 1013218 (0.3 l Standard) pk of 60
 Order # 1013234 (0.3 l minijet) pk of 108

CHARACTERISTICS

- Easy to use – only 3 parts
- Constant material flow, helping the painter to achieve perfect coating results just like child's play
- Allows very quick color changes - cleaning becomes almost irrelevant
- The special lid shape ensures complete consumption of the paint contained in the cup
- Paint is mixed in the cup and ready for painting
- Large number of mixing ratios (up to 100 variations)
- Fits directly on all SATA spray guns - no adapters
- Stable cup ensures safe storage of leftover material
- Reduces cleaning efforts and solvent consumption
- Available in the 3 cup sizes 0.3 l, 0.6 l and 0.9 l
- Different strainer types available

PRODUCT BENEFITS

Principal benefits of the original SATA RPS system:

1. The bending cup can be adapted to the gun position which allows easy painting of door sills (from the side), or fenders"upside down").
2. The threaded connection between cup and lid ensures great stability. Even when touching an obstacle, the cup will remain safely in place and firmly connected to both lid and spray gun.
3. Whenever this is required, the threaded connection also helps to quickly detach the lid – without spilling paint onto the workplace. The paint strainer can be replaced at any time – e.g. for storage.
4. By squeezing the cup, a low pressure is created inside the cup which causes an efficient material passage drain while the gun trigger is pulled. This helps to keep the workplace clean when the cup is detached from the gun.



SATA® Loyalty Program coins & more

1. Download App & register
2. Scan QR code under the lid
3. Collect coins & Convert into rewards

SATA RPS (Rapid Preparation System) is the ideal cup system for shops focusing on **perfect finishes and high profitability.**

It makes a painter's life much easier, considerably increases productivity and drastically reduces the consumption of cleaning solutions and solvents.



SATA® RPS 0.6 | UV

60 cups, lids
flat sieves 125 µ: Order No. 1010496
plug-in sieves 200 µ: Order No. 1010503

RPS® Dispenser System



**Everything in
its place!**



SATA® RPS wall dispenser

Standard kit for up to 2 cup sizes:
2 aluminum brackets for wall
mounting, 2 tubes for cups, 2 tube
for lids, and 2 tubes for sieves
Order No. 195784



SATA® RPS rotawall adapter kit

Compact wall-mounting version: Wall
bracket with rotating spindle to mount the
basic version* and the extension kit*
Order No. 196543



SATA® RPS extension kit

Extension kit for one additional cup size:
each 1 tube for cups, 1 tube for lids, and
one tube for the sieves (the brackets of the
standard kit are suitable for mounting the
extension kit)
Order No. 195776

SATA® RPS rotafloor adapter kit

Workbench/floor version: Height-adjustable
stand with floor plate and rotating spindle
to mount the basic version* and the
extension kit*
Order No. 196550



*not included in kit

Filter Regulators and Breathing Protection - for Perfect Finishes and Health Protection

The **SATA air vision 5000 focus is on effective health protection** and lets you experience a whole new and comfortable way of breathing, due to a completely re-designed breathing air supply system. With its modern, ergonomic design, the hood can be adapted to fit almost any head shape, allowing the individual adjustment of its circumference, height and position.



w/ carbon reg. set
Order No. 214718



w/ air regulator set
Order No. 1005603

SATA® air vision™ 5000




For the ultimate safety and protection

Whatever environment you are working in: Whether you want cooled or heated air or simply looking for absolute safety from particle contamination – with the new add-on modules complementing the SATA air vision 5000 breathing protection system, you can be sure your health and comfort are both efficiently catered to.

- Rigid bump cap for safer work conditions
- Large field of vision: approximately 116" at a maximum possible angle of 220°
- Replaceable visor foils allow unchanging clear view
- Soft-stream flow-optimized air distribution in the hood



SATA air vision 5000 system design with SATA filter systems



SATA® air carbon regulator set

Includes SATA air regulator belt, SATA air carbon regulator
Order No. 1000075



SATA® air regulator set

Includes SATA air regulator belt, SATA air regulator (no charcoal)
Order No. 1000116



SATA® air carbon regulator only

Can be swiveled and adjusted on belt unit by up to +/-45°. To be used with two stage filter unit
Order No. 1000182



SATA® air regulator only

Can be swiveled and adjusted on belt unit by up to +/-45°. To be used with three stage filter unit
Order No. 1000207

PRODUCT BENEFITS

- High breathing air quality: The air supply, independent of the ambient air, eliminates all potential risks for the painter by contaminated spray booth air.
- No inhalation resistance, very comfortable breathing
- High level of protection, suitable for prolonged application intervals
- Visor allows one-hand operation
- Non-reflecting view due to solvent-resistant special foil
- Little operating costs, quick pay-off of purchase costs
- Ergonomic design with a host of options for individual adaptations
- Soft-stream flow-optimized air distribution in the hood
- Safety gauge with green zone notifies user of adequate air pressure, to maintain a constant positive pressure inside the hood, which prevents overspray intrusion

- Large field of vision
- Reduced sound level: 64dB (like a conversation in 3' distance)
- Rigid bump cap for safer work conditions
- Replaceable visor foils allow unchanging clear view onto the workplace
- The SATA CCS Disks (Color Code System) allow to personalize hood, SATA air regulator and SATA air carbon regulator
- To be used in conjunction with a filter unit, the SATA filter 584 is recommended; air supply to be effected via approved breathing hose

NIOSH approval number TC-19C-0533



SATA® air regulator belt Plus

Accessory, added length, thicker, larger pads for comfort
Order No. 1030668



SATA® air regulator belt

Comfortably cushioned belt allowing the individual adaptation and upgrade for modules
Order No. 1000223



SATA® air vision 5000 hood

SATA air vision 5000 hood only with pressure gauge
The ergonomic design with a host of options for individual adaptations and soft-stream flow-optimized air stream provides highest wearer comfort
Order No. 1005596



Spare Parts	
210405	Visor Foil, 6 perforations, 5 pieces
210468	Visor Foil, 6 perforations, 20 pieces
215550	Visor Foil, 6 perforations, 50 pieces
215590	Visor Foil, 6 perforations, 100 pieces
210526	Visor Foil, 6 perforations, 1000 pieces
1114256	Head fixation cpl 2.0
218206	Activated charcoal filter for SATA air carbon regulator
1073197	Comfort pad, fits over vision 5000 adjustment knob, Velcro closure
213728	Comfort band, 10 pieces, Velcro closure
211912	Hygiene insert, 20 pieces
226746	Hood cloth, dark grey

Dan-Am CO Monitor options:

X288 Sentinel



Monitor and Alarm is a battery-operated instrument that can be surface mounted on or near the outer wall of a paint booth, in visible area near entrance door. Indicates CO concentration on a digital display
Order No. X288

X767 Guardian



110 volt AC Carbon Monoxide Monitor Audible and visual alarms for high CO or sensor failure. LCD digital read-out

Order No. X767-PLUS

SATA air vision 2000 and SATA air star C options:



w/charcoal filter
Order No. 36384



w/Ind. belt valve
Order No. 60707



SATA® vision™ 2000

The complete health protection system

Supplied-air respirator hood with very high wearing comfort and optimum hygiene. The system perfectly complies with painters' requirements and protects their respiratory tracts, eyes, skin and hair (especially important for the application of waterborne paints).



w/charcoal filter
Order No. 137547



w/Ind. belt valve
Order No. 137745



SATA® air star C™

The supplied-air half mask

Skin-friendly mask made of TPE* with anatomically shaped sealing frame, solvent-resistant.

- Safe seat, free field of vision (protective goggles Part No. 97485 required, not included in delivery)
- No accumulation of heat and humidity inside the mask

SATA Filter System

500 and 200 Series

Every body shop requires compressed air for many different applications, such as for painting, operation of supplied-air respirator systems, paint pressure tanks, material pumps, blow guns or cleaning devices. According to the field of application, there are different requirements concerning air purification: In any case, SATA offers the appropriate solution.



SATA® Filter 500 series

- Higher adsorption of contaminations (compared to SATA filter 484) due to the new sintered activated charcoal filter
- Air flow with approx. 135 cfm
- SATA filter timer to monitor the exchange intervals of all filter cartridges
- Synchronized maintenance: Filter maintenance only necessary every 6 months for all stages
- Bayonet lock with haptic and acoustic feedback
- Fine filter and activated charcoal filter cartridges fit perfectly, simply insert – without screw fittings or additional seals
- CCS color coding of filter housing and filter cartridges for safe maintenance.
- Upgrade of a SATA filter 544 to a 584 possible through a simple connector system
- Maintenance-free sealing elements
- Reverse air-flow options available
- Flow-optimized cyclone separator with enhanced particle separation efficiency of particles > 5 µm



SATA® Filter 584™

Triple-stage filter (with activated charcoal) – to apply VOC-compliant paints, such as waterborne or high-solid paints. Order No. 1099953



SATA® Filter 584L™

Triple-stage filter in-line (with activated charcoal) – to apply VOC-compliant paints, such as waterborne or high-solid paints. Order No. 1101716



SATA® Filter 544™

Dual-stage filter (without activated charcoal) – suitable for the application of solvent-based paints. Order No. 1100990



SATA® Filter 544L™

Dual-stage filter in-line (without activated charcoal) – suitable for the application of solvent-based paints. Order No. 1124932

SATA® Filter 200 series

Along with the 500, the 200 filter series is the most versatile modular filter system currently on the market but at an unbeatable price.

- Air flow 72 cfm at 90 psi
- Fine filter filtration to 0.01 micron
- Maximum protection for the painter



SATA® Filter 284™

Triple Stage (in-line) Triple-stage sinter filter/fine filter/activated charcoal with pressure regulator and outlet module Used in conjunction with the SATA supplied air respirator industrial belt valve or ensuring removal of oil residue for spraying water borne paint

Order No. 141218 with 2 drop manifold
Order No. 141218-4 with 4 drop manifold



SATA® Filter 244™

Double-stage sinter filter/fine filter with pressure regulator and outlet module Use to connect regulated air to air tools and breathing air

Order No. 44404 with 2 drop manifold
Order No. 44404-4 with 4 drop manifold

Dan-Am point of use regulator

with two or four drop manifold, mounting bracket

Max inlet pressure: 216 psi

Max. cfm: 140

Two drop manifold

Order No. 675652

Four drop manifold

Order No. 675654



DanAm Air

Professional Aluminum Compressed Air Piping System

DanAm Air is lightweight, aircraft grade, powder coated aluminum, which provides clean, dry air up to 232 psi. The reinforced composite Nylon fittings have dual seals, which rest on un-scraped pipe, providing a leak free guarantee. Our Press-to-Connect fittings feature a full bore design for turbulence free air delivery. This quick, instant connection eliminates the need to thread, solder or glue, accounting for far less installation times than traditional copper or black pipe.



**EASY TO INSTALL
YOURSELF OR HAVE
PROFESSIONALLY
INSTALLED**

*Use for new
installation, or to
expand or modify
your current
system*

- ENERGY EFFICIENT
- EASY TO INSTALL
- Modular design
- Corrosion Resistant
- Leak-free guarantee
- Removable and reusable
- Push-to-connect technology
- Immediate pressurization
- Full bore design
- 1/2" to 6" pipe sizes



***SAVINGS
up to 35%** *Savings may vary
compared to steel or copper installation!

For a FREE quote call: 800-533-8016


DanAmAir®

Dan-Am 2710 & 2733

pressure pumps

Ideal for trade and industry: cabinet shops, furniture industry, paint & finish shops, machine construction

- Soft, controllable spray pattern
- The finest atomization generates first class finishes
- 2 pressure ratio choices medium or high
- Perfect finishing system for high quality, even finishes
- Dual filter system prevents downtime
- Heavy duty housing and new seal system
- Quick simple maintenance



SATA® Vario top spray™

the double diaphragm pump

Efficient pump to apply large amounts of paint.

- The alternative to a paint pressure tank
- Aluminum and stainless steel versions
- Sturdy, low-wear and low maintenance
- Easy refill
- Several versions for mobile and stationary use are available
- Allows to work with open original containers – no refill or ventilation required as would be necessary with pressure tanks
- High performance spray gun SATAjet 3000 K not contained in the scope of delivery



Cleaning systems for spray guns

Spray gun cleaning is an important yet unpopular task amongst painters. SATA cleaning devices reliably help achieve correct gun cleaning **which is of vital importance not only in order to maintain proper function of the spray gun, but also to increase the process security in the body shop.**

SATA® clean RCS™

the turbo cleaner

For body shops with high output and many color changes.

- Rapid and safe color change when using disposable cups, such as SATA RPS
- Thorough cleaning of the material passages
- Eliminates the need for trips in and out of the booth, as it can be mounted inside the spray booth
- Increases body shop productivity

Order No. 146944



SATA® clean RCS™ compact

- To connect large cleaning agent containers
- Recommended for wall-mounting inside the mixing room, as there is no need for spray air supply
- Optional: Hose for extracting solvent fumes

Order No. 192518



SATA® clean RCS™ micro

The compact version is also available as space-saving option with a one-chamber-system.

- To connect large cleaning agent containers
- Recommended for wall-mounting inside the mixing room, as there is no need for spray air supply
- Space-saving one-chamber system
- Optional: Hose for extracting solvent fumes

Order No. 202564

Perfect Paint Applications

PART #	DESCRIPTION	NOZZLE SET
SATAjet X 5500		
STANDARD X 5500 HVLP I-nozzle		
1061895	SATAjet X 5500 HVLP Std, 1.1	1063619
1061902	SATAjet X 5500 HVLP Std, 1.2	1063627
1061887	SATAjet X 5500 HVLP Std, 1.3	1063635
1061910	SATAjet X 5500 HVLP Std, 1.4	1063651
1061928	SATAjet X 5500 HVLP Std, 1.5	1063669
STANDARD X 5500 HVLP O-nozzle		
1061936	SATAjet X 5500 HVLP Std, 1.1	1063677
1061944	SATAjet X 5500 HVLP Std, 1.2	1063685
1061952	SATAjet X 5500 HVLP Std, 1.3	1063643
1061960	SATAjet X 5500 HVLP Std, 1.4	1063693
1061978	SATAjet X 5500 HVLP Std, 1.5	1063700
DIGITAL X 5500 HVLP I-nozzle		
1062009	SATAjet X 5500 HVLP Digital, 1.1	
1061986	SATAjet X 5500 HVLP Digital, 1.2	
1062017	SATAjet X 5500 HVLP Digital, 1.3	
1062041	SATAjet X 5500 HVLP Digital, 1.4	
1062059	SATAjet X 5500 HVLP Digital, 1.5	
DIGITAL X 5500 HVLP O-nozzle		
1062083	SATAjet X 5500 HVLP Digital, 1.1	
1062091	SATAjet X 5500 HVLP Digital, 1.2	
1062132	SATAjet X 5500 HVLP Digital, 1.3	
1062140	SATAjet X 5500 HVLP Digital, 1.4	
1062174	SATAjet X 5500 HVLP Digital, 1.5	
STANDARD X 5500 RP I-nozzle		
1061548	SATAjet X 5500 RP Std, 1.1	1063536
1061556	SATAjet X 5500 RP Std, 1.2	1063544
1061564	SATAjet X 5500 RP Std, 1.3	1063552
1061572	SATAjet X 5500 RP Std, 1.4	1063560
1106534	SATAjet X 5500 RP Std, 1.5	1106493
1106542	SATAjet X 5500 RP Std, 1.6	1106526
1126889	SATAjet X 5500 RP Std, 1.8	1125120
STANDARD X 5500 RP O-nozzle		
1061580	SATAjet X 5500 RP Std, 1.1	1063578
1061598	SATAjet X 5500 RP Std, 1.2	1063586
1061605	SATAjet X 5500 RP Std, 1.3	1063594
1061613	SATAjet X 5500 RP Std, 1.4	1063601
1106550	SATAjet X 5500 RP Std, 1.5	1106500
1106568	SATAjet X 5500 RP Std, 1.6	1106518
1126897	SATAjet X 5500 RP Std, 1.8	1125138
DIGITAL X 5500 RP I-nozzle		
1063536	SATAjet X 5500 RP Digital, 1.1	
1063544	SATAjet X 5500 RP Digital, 1.2	
1063552	SATAjet X 5500 RP Digital, 1.3	
1063560	SATAjet X 5500 RP Digital, 1.4	
1109976	SATAjet X 5500 RP Digital, 1.5	
1109942	SATAjet X 5500 RP Digital, 1.6	
DIGITAL X 5500 RP O-nozzle		
1061770	SATAjet X 5500 RP Digital, 1.1	
1061796	SATAjet X 5500 RP Digital, 1.2	
1061811	SATAjet X 5500 RP Digital, 1.3	
1061837	SATAjet X 5500 RP Digital, 1.4	
1109968	SATAjet X 5500 RP Digital, 1.5	
1109950	SATAjet X 5500 RP Digital, 1.6	
SATAjet X 5500 PHASER		
STANDARD X 5500 PHASER HVLP I-nozzle		
1096157	SATAjet X 5500 PHASER HVLP, 1.2	1096272
1096149	SATAjet X 5500 PHASER HVLP, 1.3	1096264
1096131	SATAjet X 5500 PHASER HVLP, 1.4	1096256
STANDARD X 5500 PHASER HVLP O-nozzle		
1096107	SATAjet X 5500 PHASER HVLP, 1.2	1096222
1096115	SATAjet X 5500 PHASER HVLP, 1.3	1096230
1096123	SATAjet X 5500 PHASER HVLP, 1.4	1096248
STANDARD X 5500 PHASER RP I-nozzle		
1096066	SATAjet X 5500 PHASER RP, 1.2	1096181
1096074	SATAjet X 5500 PHASER RP, 1.3	1096199
1150002	SATAjet X 5500 PHASER RP, 1.4	1150028
STANDARD X 5500 PHASER RP O-nozzle		
1096090	SATAjet X 5500 PHASER RP, 1.2	1096214
1096082	SATAjet X 5500 PHASER RP, 1.3	1096206
1150010	SATAjet X 5500 PHASER RP, 1.4	1150036

PART #	DESCRIPTION	NOZZLE SET
SATAjet 5000 B		
STANDARD 5000 B HVLP		
210732	SATAjet 5000 B HVLP Std, 1.0	210955
210740	SATAjet 5000 B HVLP Std, 1.2	210963
210757	SATAjet 5000 B HVLP Std, WSB	210971
210765	SATAjet 5000 B HVLP Std, 1.3	210989
210799	SATAjet 5000 B HVLP Std, 1.4	211011
210823	SATAjet 5000 B HVLP Std, 1.5	211045
210831	SATAjet 5000 B HVLP Std, 1.7	211052
210849	SATAjet 5000 B HVLP Std, 1.9	211060
210856	SATAjet 5000 B HVLP Std, 2.2	211078
STANDARD 5000 B RP		
215640	SATAjet 5000 B RP Std, 1.1	210252
209858	SATAjet 5000 B RP Std, 1.2	210260
209866	SATAjet 5000 B RP Std, 1.2W	210278
209874	SATAjet 5000 B RP Std, 1.3	210286
209882	SATAjet 5000 B RP Std, 1.4	210294
209890	SATAjet 5000 B RP Std, 1.6	210302
209908	SATAjet 5000 B RP Std, 1.8	210310
209916	SATAjet 5000 B RP Std, 2.0	210328
SATAjet 1000 B		
SATAJET 1000 B HVLP, 0.6 PVC CUP		
149377	SATAjet 1000 B HVLP Std, 1.4	149195
149385	SATAjet 1000 B HVLP Std, 1.7	149203
149393	SATAjet 1000 B HVLP Std, 1.9	149211
149401	SATAjet 1000 B HVLP Std, 2.1	149229
SATAJET 1000 B HVLP, 0.75 ALUM CUP		
149419	SATAjet 1000 B HVLP Std, 1.4	
149427	SATAjet 1000 B HVLP Std, 1.7	
149435	SATAjet 1000 B HVLP Std, 1.9	
149443	SATAjet 1000 B HVLP Std, 2.1	
SATAJET 1000 B HVLP, 1.0 ALUM CUP		
158147	SATAjet 1000 B HVLP Std, 1.4	
158154	SATAjet 1000 B HVLP Std, 1.7	
SATAJET 1000 B RP, 0.6 PVC CUP		
151183	SATAjet 1000 B RP Std, 0.8	151316
151191	SATAjet 1000 B RP Std, 1.0	151324
149302	SATAjet 1000 B RP Std, 1.3	149161
149310	SATAjet 1000 B RP Std, 1.6	149179
150391	SATAjet 1000 B RP Std, 1.8	150417
149328	SATAjet 1000 B RP Std, 2.0	149187
151209	SATAjet 1000 B RP Std, 2.5	151332
151217	SATAjet 1000 B RP Std, 3.0	151340
154161	SATAjet 1000 B RP Std, 4.0	154187
Call	SATAjet 1000 B RP Std, 5.0	154195
SATAJET 1000 B RP, 0.75 ALUM CUP		
151225	SATAjet 1000 B RP Std, 0.8	
151233	SATAjet 1000 B RP Std, 1.0	
150342	SATAjet 1000 B RP Std, 1.3	
149344	SATAjet 1000 B RP Std, 1.6	
150409	SATAjet 1000 B RP Std, 1.8	
149351	SATAjet 1000 B RP Std, 2.0	
151241	SATAjet 1000 B RP Std, 2.5	
151258	SATAjet 1000 B RP Std, 3.0	
154179	SATAjet 1000 B RP Std, 4.0	
Call	SATAjet 1000 B RP Std, 5.0	

PART #	DESCRIPTION	NOZZLE SET
SATAJET 1000 B RP, 1.0 ALUM CUP		
158071	SATAjet 1000 B RP Std, 1.0	
158089	SATAjet 1000 B RP Std, 1.3	
158097	SATAjet 1000 B RP Std, 1.6	
158105	SATAjet 1000 B RP Std, 1.8	
158113	SATAjet 1000 B RP Std, 2.0	
158121	SATAjet 1000 B RP Std, 2.5	
158139	SATAjet 1000 B RP Std, 3.0	
Call	SATAjet 1000 B RP Std, 4.0	
Call	SATAjet 1000 B RP Std, 5.0	

SATaminijet 4400 B

SATaminijet 4400 B HVLP		HVLP Nozzle Sets
204164	Minijet 4400 B HVLP, 0.3, (2x) 0.3l	201194
204172	Minijet 4400 B HVLP, 0.5, (2x) 0.3l	201202
204180	Minijet 4400 B HVLP, 0.8, (2x) 0.3l	201210
204198	Minijet 4400 B HVLP, 1.0, (2x) 0.3l	201228
204206	Minijet 4400 B HVLP, 1.1, (2x) 0.3l	201236
198168	Minijet 4400 B HVLP, 0.8SR, (2x) 0.3l	201244
198176	Minijet 4400 B HVLP, 1.0SR, (2x) 0.3l	201251
198184	Minijet 4400 B HVLP, 1.2SR, (2x) 0.3l	201269
198192	Minijet 4400 B HVLP, 1.4SR, (2x) 0.3l	201277
198382	Minijet 4400 B Design Set, (specify nozzle size)	201277

SATaminijet 4400 B RP

SATaminijet 4400 B RP		RP Nozzle Sets
202382	Minijet 4400 B RP, 0.5, (2x) 0.3l	202408
198374	Minijet 4400 B RP, 1.4, (2x) 0.3l	201319
204156	Minijet 4400 B RP, 1.6, (2x) 0.3l	201327
1114149	Minijet 4400 B RP, 0.3SR, (2x) 0.3l	1114131
202390	Minijet 4400 B RP, 0.8SR, (2x) 0.3l	201285
198358	Minijet 4400 B RP, 1.0SR, (2x) 0.3l	201293
198366	Minijet 4400 B RP, 1.2SR, (2x) 0.3l	201301
198366	Minijet 4400 B RP, 1.3SR, (2x) 0.3l	1065037

SATAjet 3000 K

SATAjet 3000 K HVLP Standard		HVLP Nozzle Sets
93385	SATAjet 3000 K HVLP, 0.8	92783
92924	SATAjet 3000 K HVLP, 1.0	92791
93393	SATAjet 3000 K HVLP, 1.2	92809
193656	SATAjet 3000 K HVLP, 1.4	191379
96164	SATAjet 3000 K HVLP, 1.6	92817
96172	SATAjet 3000 K HVLP, 2.0	92825
93385ST	SATAjet 3000 K HVLP, 0.8 STN*	
92924ST	SATAjet 3000 K HVLP, 1.0 STN*	
93393ST	SATAjet 3000 K HVLP, 1.2 STN*	
137851	SATAjet 3000 K HVLP, 1.6 STN*	
96172ST	SATAjet 3000 K HVLP, 2.0 STN*	

SATAjet 3000 K RP Standard

SATAjet 3000 K RP Standard		RP Nozzle Sets
92932	SATAjet 3000 K RP, 0.8 RP	92494
93336	SATAjet 3000 K RP, 1.1 RP	92502
93344	SATAjet 3000 K RP, 1.3 RP	92510
93351	SATAjet 3000 K RP, 1.5 RP	92528
93369	SATAjet 3000 K RP, 1.7 RP	95422
93377	SATAjet 3000 K RP, 2.0 RP	95356
163022	SATAjet 3000 K RP, 0.8 STN*	
141994	SATAjet 3000 K RP, 1.1 STN*	
142265	SATAjet 3000 K RP, 1.3 STN*	
166421	SATAjet 3000 K RP, 1.5 STN*	
196535	SATAjet 3000 K RP, 1.7 STN*	
137844	SATAjet 3000 K RP, 2.0 STN*	

*STN = Special Treated Extended Life Nozzle

SATAjet 1500 B SolV

SATAjet 1500 B SolV HVLP Standard		HVLP Nozzle Sets
1010925	SATAjet 1500 B SolV HVLP, 1.3	1010967
1010933	SATAjet 1500 B SolV HVLP, 1.4	1010975

SATAjet 1500 B SolV RP Standard

SATAjet 1500 B SolV RP Standard		RP Nozzle Sets
1010892	SATAjet 1500 B SolV RP, 1.3	1010941
1010917	SATAjet 1500 B SolV RP, 1.4	1010959

PART #	DESCRIPTION	NOZZLE SET
SATAjet 1000 K		
SATAjet 1000 K HVLP		
139196	SATAjet 1000 K HVLP, 0.8	HVLP Nozzle Sets 139253
139204	SATAjet 1000 K HVLP, 1.0	139261
139212	SATAjet 1000 K HVLP, 1.2	139279
193664	SATAjet 1000 K HVLP, 1.4	191387
139220	SATAjet 1000 K HVLP, 1.6	139287
139238	SATAjet 1000 K HVLP, 2.0	139295
141960	SATAjet 1000 K HVLP, 0.8, STN*	141762
141978	SATAjet 1000 K HVLP, 1.0, STN*	141770
141986	SATAjet 1000 K HVLP, 1.2, STN*	141804
142000	SATAjet 1000 K HVLP, 1.6, STN*	141812
142018	SATAjet 1000 K HVLP, 2.0, STN*	141838

SATAjet 1000 K RP

SATAjet 1000 K RP		RP Nozzle Sets
132092	SATAjet 1000 K RP, 0.8	132159
132100	SATAjet 1000 K RP, 1.1	132167
132118	SATAjet 1000 K RP, 1.3	132175
132126	SATAjet 1000 K RP, 1.5	132183
132134	SATAjet 1000 K RP, 1.7	132191
132142	SATAjet 1000 K RP, 2.0	132209
153486	SATAjet 1000 K RP, 2.5	153528
153494	SATAjet 1000 K RP, 3.0	153536
154336	SATAjet 1000 K RP, 4.0	154377
-		154385 5.0 nozzle
161232	SATAjet 1000 K RP, 1.6 D	159707
141903	SATAjet 1000 K RP, 0.8, STN*	141648
141911	SATAjet 1000 K RP, 1.1, STN*	141655
141929	SATAjet 1000 K RP, 1.3, STN*	141663
141937	SATAjet 1000 K RP, 1.5, STN*	141689
141945	SATAjet 1000 K RP, 1.7, STN*	141697
141952	SATAjet 1000 K RP, 2.0, STN*	141705
-		159442 2.5 nozzle STN*

*STN = Special Treated Extended Life Nozzle

SATaminijet 1000 K

SATaminijet 1000 K HVLP		K HVLP Nozzle Sets
190280	SATaminijet 1000K HVLP, 0.3	190348
190298	SATaminijet 1000K HVLP, 0.5	190355
190306	SATaminijet 1000K HVLP, 0.8	190363
190314	SATaminijet 1000K HVLP, 1.0	190371
190322	SATaminijet 1000K HVLP, 1.2	190389

SATaminijet 1000 K RP

SATaminijet 1000 K RP		K RP Nozzle Sets
187450	SATaminijet 1000K RP, 0.3	187625
187468	SATaminijet 1000K RP, 0.5	187633
187476	SATaminijet 1000K RP, 0.8	187641
187484	SATaminijet 1000K RP, 1.0	187658
187492	SATaminijet 1000K RP, 1.2	187666
197152	SATaminijet 1000K RP, 1.4	197160
187419	Paint pipe, cpl. G1/4 - G1/4	
199018	Paint pipe, cpl. G1/4 - G3/8	

SATaminijet 1000 H

SATaminijet 1000 H		H Nozzle Sets
191502	SATaminijet 1000 H HVLP, 1.4	191494
Inquire	SATaminijet 1000 H RP, 1.4ST	202036
187682	SATaminijet 1000 H RP, 1.4	187674
188318	RPS adapter No. 17	
188482	RPS Siphon cup kit for 0.3l, set of 25	
188516	RPS Siphon cup kit for 0.3l, set of 50	
188490	RPS Siphon cup kit for 0.6l, set of 25	
188524	RPS Siphon cup kit for 0.6l, set of 50	
188508	RPS Siphon cup kit for 0.9l, set of 25	
188532	RPS Siphon cup kit for 0.9l, set of 50	

SATAjet 100 B F

SATAjet 100 B F HVLP		HVLP Nozzle Sets
1012674	SATAjet 100 BF HVLP, 1.4, RPS	146381
1012682	SATAjet 100 BF HVLP, 1.7, RPS	145417
1012690	SATAjet 100 BF HVLP, 1.9, RPS	145425
1012707	SATAjet 100 BF HVLP, 2.1, RPS	145433

SATAjet 100 B F RP

SATAjet 100 B F RP		RP Nozzle Sets
203125	SATAjet 100 BF RP, 1.1 UV, RPS	182600
1100015	SATAjet 100 BF RP, SEALER, RPS	1099573
1012632	SATAjet 100 BF RP, 1.4, RPS	146977
1012640	SATAjet 100 BF RP, 1.6, RPS	145250
1012658	SATAjet 100 BF RP, 1.8, RPS	145268
1012666	SATAjet 100 BF RP, 2.0, RPS	145276

PART #	DESCRIPTION	NOZZLE SET
SATAjet 100 B P		P Nozzle Set
1012715	SATAjet 100 B P, RPS	145284
SATAjet 20 B (formerly SATA dekor 2000)		Nozzle Sets
65078	SATAjet 20 B, 0.2, 65 ccm PVC	60459
189035	SATAjet 20 B, 0.2F, 65 ccm PVC	189043
65581	SATAjet 20 B, 0.35, 65 ccm PVC	60640
		202515 0.35 surface treatment
65649	SATAjet 20 B, 0.5, 65 ccm PVC	61200
66316	SATAjet 20 B, 0.8, 65 ccm PVC	61341
69229	SATAjet 20 B, 1.0, 65 ccm PVC	61523
86181	SATAjet 20 B, 0.2, 65ccm PVC, 3 glass jars	
86199	SATAjet 20 B, 0.35, 65ccm PVC, 3 glass jars	
86207	SATAjet 20 B, 0.5, 65ccm PVC, 3 glass jars	
86215	SATAjet 20 B, 0.8, 65ccm PVC, 3 glass jars	
86223	SATAjet 20 B, 1.0, 65ccm PVC, 3 glass jars	
90381	SATAjet 20 B Design Set, (specify nozzle size)	
SATAglyph 4		
S004H	SATAglyph 4, siphon feed	
S004B	SATAglyph 4, gravity feed	
S004S	SATAglyph 4, side feed	
S005	SATAglyph Replacement Needle 0.4	
S004HBS	3 gun kit w/case	
	kit supplied with:	
1 S004B	SATAglyph 4B gravity-feed airbrush	
1 S004H	SATAglyph 4H siphon-feed airbrush	
1 S004S	SATAglyph 4S side-feed airbrush	
1 S032	33mm (3/4oz) glass jar and siphon jar adapter	
1 S039	metal side feed jar adapter and 1 oz glass jar	
1 S051	PVC color cup lid for Gravity and Side-feed models	
1 S0049	PVC lid for metal color cup siphon feed	
1 S045	8 foot quick disconnect braided air hose	
3 S046	Quick disconnect fitting/plug	
1	Instruction manual	
SATAglyph 1		
134544	SATAglyph 1 2.5ml gravity cup airbrush, 0.25134619	
136069	SATAglyph 1 2.5ml gravity cup airbrush, 0.45134635	
139568	SATAglyph 1 5.0ml siphon cup airbrush, 0.25	
141408	SATAglyph 1 5.0ml siphon cup airbrush, 0.45	
SATAglyph 3		
136077	SATAglyph 3 2.5ml gravity cup airbrush, 0.15	134643
134569	SATAglyph 3 2.5ml gravity cup airbrush, 0.25	134650
136085	SATAglyph 3 2.5ml gravity cup airbrush, 0.45	134668
134585	SATAglyph 3 5.0ml siphon cup airbrush, 0.25	
136093	SATAglyph 3 5.0ml siphon cup airbrush, 0.45	
136101	SATAglyph 3 5.0ml siphon cup airbrush, 0.65	134676
SATA Multi-tool		
228999	SATA Multi-tool, extraction, spanners, bit holder, battery comp. opener, disassemble fluid tips, knife, pliers, implement to remove air micrometer screw	
Vario Top		
72678	Vario Top Pump, S/S, Wall mounted, w/o run or hoses	
72694	Vario Top Pump, S/S, on trolley, w/o gun or hoses	
81406	Vario Top Pump, S/S, Stand, one gun connection	
61507	Vario Top Pump, Std, Wall mounted, w/o gun and hoses	
81661	Vario Top Pump, Std, Stand, w/o gun and hoses	
61515	Vario Top Pump, Std, on trolley, w/o gun and hoses	
Filters		
SATA Filter 200 Series		
43687	222 Single stage w/gauge/discharger, sinter filter	
44434	234 Single stage in-line	
141226	264 Single stage charcoal unit	
43752	242 Line filter, w/o valve, w/mod.	
44404	244 Dual filter w/press reg & mod, 2 drop	
44404-4	244 Dual filter w/press reg & mod, 4 drop	
141226	264 Add-on charcoal filter unit	
189290	282 Triple Stage Line filter	
141218	284 Triple Filter w/reg valve & module (2 drop)	
141218-4	284 Triple Filter w/reg valve & module (4 drop)	
142224	Manifold, 200 Series w/couplings	
47290	Regulator, 200 Series	
47290A	Point of use regulator w/two drop manifold, mounting bracket	
47290B	Regulator mounting bracket only 200 series	
675614	Low profile mounting bracket	

PART #	DESCRIPTION	NOZZLE SET
SATA Filter 500 Series		
1101667	SATA 500 pressure reducer w/gauge 0-145 psi	
1101659	SATA Filter 524 Single-stage Sinter Filter	
1101641	SATA Filter 524L Single-stage Line sinter Filter	
1101005	SATA Filter 564 add-on kit activated charcoal Filter	
1100990	SATA Filter 544 Double-stage sinter/fine Filter	
1124932	SATA Filter 544L Double-stage Line Filter w/o pressure reducer	
1099953	SATA Filter 584 Triple-stage sinter/fine/activated charcoal Filter	
1101716	SATA Filter 584L Triple-stage Line Filter w/o pressure reducer	
1101625	SATA filter 584 w/carrying support triple-stage Filter	
28076	SATA Stand only	
22160	SATA Sinter filter for all SATA filter series	
1097999	SATA fine filter cartridge for filter 500	
1098004	SATA activated charcoal cartridge for filter 500	
1098054	Service kit for filter 500 w/fine filter and activated charcoal cartridge	
Respirators		
SATA air vision 5000		
1005596	vision 5000 hood unit only	
1005603	vision 5000 hood, belt, SATA air regulator	
214718	vision 5000 hood, belt, SATA air carbon regulator	
1000223	SATA air regulator belt	
1030668	SATA air regulator belt Plus	
1000182	SATA air carbon regulator	
1000207	SATA air regulator	
1006990	SATA air cooler, accessory	
1007021	SATA air warmer, accessory	
1000158	SATA air warmer carbon for air carbon regulator	
1115189	Activated charcoal filter replacement w/2 caps for air carbon reg.	
SATA air vision 2000		
51854	vision 2000 hood unit only	
36384	vision 2000 with charcoal filter belt unit	
37200	SATA activated charcoal belt unit only	
60707	vision 2000 with industrial belt valve unit	
61002	SATA industrial belt unit only	
60541	Gray head/chest cape only	
HKU Barrel Pump Unit		
14555	HKU 60L Pump, w/gun/hoses/wands	
34389	HKU 200L Pump, w/gun/hoses/wands	
Dan-Am High Pressure Pumps		
call	2710 Dan-Am medium pressure pump	
call	2733 Dan-Am high pressure pump	
SATA trueSun		
1012129	SATA trueSun incl. battery and charger	
1013094	SATA trueSun storage case w/foam inlay	
1013151	Foam inlay only for SATA trueSun storage case	
1010082	Battery	
1006445	Battery charger	
1012096	Protective lens holder	
1012137	Lens only	
SATA Dry-Jet 2		
217489	Dry-Jet 2 Blow Gun	
223008	Stand, W/2 Dry-Jet 2 Guns	
223503	Stand, W/4 Dry-Jet 2 Guns	
222232	Dry-Jet 2 filter holder	
222125	SATA spare flat sieve 125µ 10 pc.	
720640	Dan-Am Econo-Jet stand w/2 SATA Dry-Jet 2 Guns	
720580	Econo-Jet stand only	
Blow Guns		
15156	Standard Nozzle	15214 Multi-nozzle
15180	Noiseless	133306 Pocket size
SATA RPS Dispenser		
195784	Basic wall mount kit, 2 cups, 2 lids, 2 sieves	
195776	Extension kit, additional, 1 cup, 1 lid tubes	
196543	Rotowall adapter kit for mtg. basic and ext. kits	
196550	Rotofloor adapter kit for mtg. basic and ext. kits	
SATA adam 2		

PART #	DESCRIPTION
160697	SATA adam 2 chrome, display only, fits all adam 2 & 2 U docks
1031658	SATA adam 2 black, display only, fits on all adam 2 & 2 U docks
160739	Battery set
160788	SATA adam 2, dock only
160796	SATA adam 2, dock, 2 pack
160853	SATA adam 2, dock, psi display, full sz guns except 5000 series
160861	SATA adam 2, mini dock only
160887	SATA adam 2 chrome, mini, psi complete
1031674	SATA adam 2 black, mini, psi complete
162164	Display unit clip only, 5 pk
162172	O-Ring, 2 pack
211557	SATA adam 2 chrome, complete, jet 5500/5000 series only
1031715	SATA adam 2 black, complete, jet 5500/5000 series only
211565	SATA adam 2, dock only, jet 5500/5000 series only
211573	SATA adam 2, dock only (X2) SATAjet 5000 only

SATA adam 2 U

195222	SATA adam 2 U chrome, complete
1031731	SATA adam 2 U black, complete
195230	SATA adam 2 U, air micrometer, w/dock
195925	SATA adam 2 U, dock only

Quality Dual hoses for pressure fed systems

3/8" air, 1/4" material, Other sizes available

675206	6'	675225	25'
675215	15'	675250	50'

SATA Black Breathing Hose

Hose Assembly, 3/8 ID, 145 psi hose w/coupler & nipple. NIOSH approved

679010	Premium Breathing Hose 10'
679015	Premium Breathing Hose 15'
679020	Premium Breathing Hose 20'
679025	Premium Breathing Hose, 25'
679035	Premium Breathing Hose, 35'
679050	Premium Breathing Hose, 50'
679075	Premium Breathing Hose, 75'
679100	Premium Breathing Hose, 100'

Premo Flex Red Breathing Hose

Hose Assembly, 3/8 ID, 250 psi w/coupler & nipple, NIOSH approved

676010	Premium Breathing Hose 10'
676015	Premium Breathing Hose 15'
676020	Premium Breathing Hose 20'
676025	Premium Breathing Hose, 25'
676035	Premium Breathing Hose, 35'
676050	Premium Breathing Hose, 50'
676075	Premium Breathing Hose, 75'
676100	Premium Breathing Hose, 100'

Paint Pipe

92031	Paint pipe, pressure fed guns, 3/8 SS
-------	---------------------------------------

Maintenance Sets

1173286	SATAjet X 5500 Maintenance Set
1050674	SATAjet 5000 B Maintenance Set
1047837	SATAjet 4000 B Maintenance Set
1173278	SATAjet 1500 B Maintenance Set
1173260	SATAjet 100 B & 1000 B Maintenance Set

Repair Kits

211532	SATAjet 5000 B HVLP, RP repair kit
166058	SATAjet 4000 B HVLP, RP repair kit,
92767	SATAjet 3000 K, HVLP & RP repair kit
130542	SATAjet 1000 K, HVLP & RP repair kit
130542	SATAjet 100 B F repair kit
198614	SATAminijet 4400 B repair kit
126284	SATAminijet 3000 B/K, repair kit
69377	SATAjet 20 B, repair kit
134841	SATAgaph 1, repair kit
32276	SATAgaph 2, repair kit
134858	SATAgaph 3, repair kit
94979	SATA Filter 400 Series repair kit

QMR - Quick Material Regulator

1186213	QMR for SATAjet X 5500 & 5000 B Series, 1 piece
1162817	QMR for SATAjet X 5500 & 5000 B Series, 2 pieces
1185596	QMR for SATAjet 1000 B & 1500 B, 1 piece
1185603	QMR for SATAminijet 4400 Series, 1 piece

PART #	DESCRIPTION
--------	-------------



Dan-Am Kneeler

Dan-Am Kneeler is an excellent tool to cushion your knees on rough or hard surfaces.

Order # **KNE0002**

Dan-Am Stadium Seat

- Comfort and softness
- Easy cleaning, solvent resistant
- Waterproof and floats
- Built in handle, easy to carry
- Reverse side cup holders

Part No. **SSBR1 (ea.)**

SSBR2 (2 pk)



Dan-Am Hosemate

Designed to guide hoses effortlessly around wheels. This means the painter can maneuver quickly and freely while applying costly time-sensitive coatings. It also reduces wear and tear on hoses. Order No. 10102

Accessories & Apparel



Large Double Door Cabinet

SATA cabinet by Dan-Am Co. is the answer for storing your valuable investment in spray guns and other accessories. Large double door lockable gun cabinet. Durable gray powder coating with SATA logo. Material: 20 gauge steel
Storage: 2 shelves, locker, holders for 24 spray guns.
Measurements: 46 in w x 35 in h x 12 in d

Must be shipped by truck, please call for a freight quote.
FREIGHT CHARGES NOT INCLUDED

Order No. 95

Dan-Am 8 Gun Holder



Dan-Am gun holder, suitable for wall mounting or to bench with optional accessories 9895B. Can retrofit to SATA single door and double door cabinets.

- Compact
 - Holds 8 guns
 - Easy to identify nozzle size/gun model
- Order No. 9895



Dan-Am gun holder w/bench mount can be secured to a bench or table top.

- Compact
 - Holds 8 guns
 - Easy to identify nozzle size/gun model
- Order No. 9895A



Small Single Door Cabinet

SATA cabinet by Dan-Am Co. Small single lockable gun cabinet, durable gray powder coating with SATA logo. Material: 20 gauge steel Storage: 1 shelf, and holders for 16 spray guns
Measurements: 25 in w x 35 in h x 12 in d
Order No. 96

SATA Gun Holders



Spray gun stand acrylic
Order No. 186833



SATA universal wall mount gravity gun holder.

This type may be screwed to the wall at various locations for convenient storage.

Order No. 9886



SATA Black Gun stand with logo, includes a nut to attach and display a SATA gun.
Order No. 1750

Dan-Am Gun Holders



Dan-Am Gun holder for SATA-minijet 3000 B HVLP

Suitable for wall mounting, mounting in cabinet or mounting on a 9898 or 9890 gun holder

Order No. 9890-M



Dan-Am Wall mounted gun holder

9898-3 3 gun holder
9898-6 2x wall mounted 3 gun holder, holds 6 guns total

SATA universal gun holder, folding. For hanging gravity flow guns, siphon guns, industrial guns

Order No. 1110527



SATA Wall or Bench Mount Heavy Duty Gravity Gun Holder. Red solvent resistant coating. Also works great for the SATA Mini-Jet. Gravity cup is held in the vertical position for easy refilling. Complete with mounting screws.

Order No. 40188



Breathing Hose

Top quality breathing hose for breathing air and air tools. Available in lengths up to 100 feet. Part Numbers on page 25

Dan-Am Paint Suits

Dan-Am PRO-SERIES Paint Suits

Expertly designed for fit and movement. Made with the finest quality anti-static carbon fiber thread to keep it lint free. Comes white on front with logo and gray back with the SATA logo. The hooded suit has a covered heavy duty zipper, exterior utility Velcro pocket, adjustable sleeve and leg Velcro closures, wide leg, adjustable elastic waist band for comfort, fully breathable back fabric, 2 utility back pockets, underarm zipper opening for ventilation when needed, bi-swing shoulders for easier movements. Lengthened side zipper, lighter weight protective fabric in the hood. Outperforms and outlasts disposables at least 10 to 1. The paint suits are machine washable and available in sizes small to 3XL.

Please Note: Order the Pro-Series paint suit as you would your normal size, these run a little larger to fit over your clothing.

Pro Series Dan-Am Paint Suit	
510050PS	X-Small
510052PS	Small
510054PS	Medium
510056PS	Large
510058PS	XLarge
510060PS	XXLarge (2XL)
510062PS	XXXLarge (3XL)



Dan-Am GBG PRO-SERIES Ladies Paint Suits

First paint suit tailor-made to fit ladies in the paint industry. It has all the features of the Pro Series suit, including being anti-static. Plus it has the added features: pocket knee pads, colored ankle and wrist closures, detailed piping, the Girls Behind the Gun and Goddess Behind the Gun logos.



Pro Series Ladies Paint Suit	
540050GBG	X-Small
540052GBG	Small
540054GBG	Medium
540056GBG	Large
540058GBG	XLarge
540060GBG	XXLarge (2XL)
540062GBG	XXXLarge (3XL)

Please Note: The GBG Pro-Series paint suit sizing is based on jacket size. It is a fitted paint suit for ladies, but it's not the same as when ordering tight fitted clothing.


Dan-Am Paint Suits

The Dan-Am Company offers three high-quality paint suits. Two with the SATA logo on the front and back. They are made of 100% breathable nylon that offers superior protection over clothing. These paint suits are treated to be anti-static, open at the wrist, ankle and face. It features a hood to cover the head and has an elastic waist band. This helps avoid brushing into the paint job. The arm cuffs are also adjustable.

Gray Dan-Am Paint Suit	
520050G	X-Small
520052G	Small
520054G	Medium
520056G	Large
520058G	XLarge
520060G	XXLarge (2XL)
520062G	XXXLarge (3XL)
520064G	XXXXLg (4XL)



White Dan-Am Paint Suit	
530050W	X-Small
530052W	Small
530054W	Medium
530056W	Large
530058W	XLarge
530060W	XXLarge (2XL)
530062W	XXXLarge (3XL)
530064W	XXXXLg (4XL)



***Please Note:** This chart is a guide for Dan-Am Paint Suit. Proper fit varies with under clothing and body shape. We recommend ordering one size larger after locating your size on the chart.

Everything for the Modern Body Shop and Workshop

Service Kit for SATA 500 filter

with fine filter and activated charcoal cartridge
Order No. 1098054
SAVE \$81.00

All SATA filter cartridges are supplied with a SATA filter timer



SATA® filter cover

(4 pieces) fits 500 filter series. A cover for both double-stage and triple-stage, protects filters from over spray, damages, dust. Order No. 1101500



Service Kit SATA 200 & 400 filter

Charcoal cartridge, 85373 4 pk,
 Fine filter cartridge, 81810, 2 pk
Order No. 214270 SAVES




SATA® filter cover

(4 pieces) fits 200 & 400 filter series. A cover for both double-stage and triple-stage, protects filters from over spray, damages, dust. Order No. 215053

Easy-Flex

The Most Flexible, Versatile and Efficient Stand Anywhere!



SATA HRS™

Pressurized cup gun for undercoating and wax injection. Supplied with three types of wands for different cavities. Order No. 9795



DanAm Air Vac

Removes foreign objects from wet paint/clearcoat. Saves work and costly re-do's. Order No. DAA1001K



SATA QMR

The Quick Material Regulator, where application processes require frequently recurring adjustments between reduced and fully open material flow rates, the SATA QMR is the solution to save time and money.

Fits SATAjet X 5500 & 5000 B Series

Order No. 1186213, 1 piece


Order No. 1162817, 2 pieces

Fits SATAjet 1000 B & 1500 B Series

Order No. 1185596, 1 piece

Fits SATAminijet 4400 Series

Order No. 1185603, 1 piece



SATA Viscosity Cup

DIN 4 mm viscosity cup for consistent measuring of material viscosity
 Order # 9845 Turned aluminum
 Order # 9852 Extruded aluminum

Airbrush Kit



Maintenance Kit



Cleaning Sets

Special needles and brushes for keeping your spray gun in optimum performance.

Airbrush Kit Order # 64036

Maintenance Kit Order # 64035



SATA® care set™

Bag with useful utensils for spray gun cleaning and maintenance. Framed in red color: Not included in delivery. Order No. 162628

Find out more information on the SATA app



Your SATA dealer

SATA

SATA USA Inc.

One Sata Drive · PO Box 46
 Spring Valley, MN 55975

Phone: 800-533-8016

E-mail: satajet@satausa.com

www.satausa.com

Errors and technical alterations reserved - SATA, SATAjet and/or other SATA products referenced here-in are either registered trademarks or trademarks of SATA GmbH & Co. KG in the U.S. and/or other countries.

12. Complete Car Refinish
 Printed in U.S.A.
 230605